

Category of the Industry :

RED



CONSENT ORDER NO. 2508267234888 DATED: 04/11/2025.

PROCEEDINGS NO.T4/TNPCB/F.2489CBN/RL/CBN/A/2025 DATED: 04/11/2025

SUB: Tamil Nadu Pollution Control Board - RENEWAL OF CONSENT –M/s. CHINNASAMY SUKUMARAN , S.F.No. 368/1B, SARAVANAMPATTI village, Coimbatore north Taluk and Coimbatore District - Renewal of Consent for the operation of the plant and discharge of emissions under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 as amended in 1987 (Central Act 14 of 1981) –Issued- Reg. (Industry User ID- R23CBN56354337)

REF: 1. Application no. 67234888 dated: 29.04.2025/22.10.2025
2. IR.No : F.2489CBN/RL/AE/CBN/2025 dated 07/10/2025.

RENEWAL OF CONSENT is hereby granted under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 as amended in 1987 (Central Act 14 of 1981) (hereinafter referred to as “The Act”) and the rules and orders made there under to

The Proprietor
M/s . CHINNASAMY SUKUMARAN
S.F No. 368/1B
SARAVANAMPATTI Village
Coimbatore north Taluk
Coimbatore District.

Authorizing the occupier to operate the industrial plant in the Air Pollution Control Area as notified by the Government and to make discharge of emission from the stacks/chimneys.

This is subject to the provisions of the Act, the rules and the orders made there under and the terms and conditions incorporated under the Special and General conditions stipulated in the Consent Order issued earlier and subject to the special conditions annexed.

This RENEWAL OF CONSENT is valid for the period ending **March 31, 2027**

SPECIAL CONDITIONS

1. This renewal of consent is valid for operating the facility for the manufacture of products (Col. 2) at the rate (Col. 3) mentioned below. Any change in the products and its quantity has to be brought to the notice of the Board and fresh consent has to be obtained.

Sl. No.	Description	Quantity	Unit
Product Details			
1.	The commercial building complex consists of Block I (B+G+3F+terrace), Block II (G+1F+terrace) & Pooja room having the total built up area of	34798.41	Sq.mt

2. This renewal of consent is valid for operating the facility with the below mentioned emission/noise sources along with the control measures and/or stack. Any change in the emission source/control measures/change in stack height has to be brought to the notice of the Board and fresh consent/Amendment has to be obtained.

I	Point source emission with stack :			
Stack No.	Point Emission Source	Air pollution Control measures	Stack height from Ground Level in m	Gaseous Discharge in Nm3/hr
01	DG Set 1010 KVA	Acoustic enclosures with stack	19.0	
02	DG Set 1010 KVA	Acoustic enclosures with stack	19.0	
03	DG Set 500 KVA	Acoustic enclosures with stack	19.0	
II	Fugitive/Noise emission :			
Sl. No.	Fugitive or Noise Emission sources	Type of emission	Control measures	
1.	DG Set 1010 KVA	Noise	Acoustic Enclosures with Stack	
2.	DG Set 1010 KVA	Noise	Acoustic Enclosures with Stack	
3.	DG Set 500 KVA	Noise	Acoustic Enclosures with Stack	

Special Additional Conditions:

The unit shall obtain No Objection Certificate (NOC) from the Tamil Nadu Bio Diversity Board /National Bio Diversity Authority if the unit is using any Biological resources or knowledge associated thereto as per the provisions of Biological Diversity Act 2002.

The industries shall take all efforts to use and popularize “Mission LiFE” logo and mascot which is available in TNPCB & MoEFCC website. They shall also request their employees to adopt “Mission LiFE” action points and document the same and furnish half yearly report to Board.

Additional Conditions:

1. The conditions stipulated in the Environmental Clearance issued vide SEIAA, TN Lr.No.SEIAA TN/F.No.10210/8(a)/EC.No.981/2023 dated:18/10/2023 shall be complied with. Half-yearly (six months) status report on compliance of EC conditions shall be furnished to SEIAA-TN & TNPCB regularly.
2. In accordance with Item No.11 of the EIA Notification, 2006, any new industry shall obtain NOC from MoEF/ SEIAA in the event of transfer of original EC in a different name.
3. It shall be ensured that no process emission is let out from the activity under any circumstances and at any point of time.
4. The emissions let out from the stack provided to the DG set shall achieve the Ambient Air quality/Ambient Noise Level Standards prescribed by the Board.
5. Adequate green belt shall be developed with native species and maintained within the premises.
6. Project proponent shall comply with the Notification No. TNPCB/Labs/DD(L)/02151/2019 Dated: 30.07.2024 on retrofitting of Emission Control Devices/Equipment in DG sets with capacity of 61 KW- less than 800 KW and 8000 KW & above in the state of Tamil Nadu.
7. Adequate green belt shall be developed with native species and maintained within the premises.
8. Project proponent shall spend amount toward CER as committed in EC and the same shall be carried out immediately.
9. In case of revision of consent fee by the Government, the unit shall remit the difference in amount within one month from the date of notification, failing to remit the consent fee, this consent order will be withdrawn without any notice and further action will be initiated against the unit as per law.
10. This consent order does not absolve this unit from obtaining necessary permission / clearance from other Authority or under other Statute as applicable.

To
The Proprietor,
M/s.CHINNASAMY SUKUMARAN,
S.F.No. 368/1B, Saravanampatti Village, Coimbatore North Taluk, Coimbatore District
Pin: 641035

Copy to:

- 1.The Commissioner, COIMBATORE-Corporation, Coimbatore north Taluk, Coimbatore District .
2. The District Environmental Engineer, Tamil Nadu Pollution Control Board, COIMBATORE NORTH.
3. The JCEE-Monitoring, Tamil Nadu Pollution Control Board, Coimbatore.
4. File

Signature Not Verified

Digitally Signed by :Indira Gandhi S
For Member Secretary
Tamil Nadu Pollution Control Board,
Chennai

Date: 2025.11.06 19:33:18 IST

Category of the Industry :

RED



CONSENT ORDER NO. 2508167234888 DATED: 04/11/2025.

PROCEEDINGS NO.T4/TNPCB/F.2489CBN/RL/CBN/W/2025 DATED: 04/11/2025

SUB: Tamil Nadu Pollution Control Board - RENEWAL OF CONSENT – M/s. CHINNASAMY SUKUMARAN , S.F.No. 368/1B, SARAVANAMPATTI village, Coimbatore north Taluk and Coimbatore District - Renewal of Consent for the operation of the plant and discharge of sewage and/or trade effluent under Section 25 of the Water (Prevention and Control of Pollution) Act, 1974 as amended in 1988 (Central Act 6 of 1974) – Issued- Reg. (Industry User ID- R23CBN56354337)

REF: 1. Application no. 67234888 dated: 29.04.2025/22.10.2025
2. IR.No : F.2489CBN/RL/AE/CBN/2025 dated 07/10/2025.

RENEWAL OF CONSENT is hereby granted under Section 25 of the Water (Prevention and Control of Pollution) Act, 1974 as amended in 1988 (Central Act, 6 of 1974) (hereinafter referred to as “The Act”) and the rules and orders made there under to

The Proprietor
M/s . CHINNASAMY SUKUMARAN
S.F No. 368/1B
SARAVANAMPATTI Village
Coimbatore north Taluk
Coimbatore District.

Authorising the occupier to make discharge of sewage and /or trade effluent.

This is subject to the provisions of the Act, the rules and the orders made there under and the terms and conditions incorporated under the Special and General conditions stipulated in the Consent Order issued earlier and subject to the special conditions annexed.

This RENEWAL OF CONSENT is valid for the period ending **March 31, 2027**

SPECIAL CONDITIONS

1. This renewal of consent is valid for operating the facility for the manufacture of products/byproducts (Col. 2) at the rate (Col 3) mentioned below. Any change in the product/byproduct and its quantity has to be brought to the notice of the Board and fresh consent has to be obtained.

Sl. No.	Description	Quantity	Unit
Product Details			
1.	The commercial building complex consists of Block I (B+G+3F+terrace), Block II (G+1F+terrace) & Pooja room having the total built up area of	34798.41	Sq.mt

2. This renewal of consent is valid for operating the facility with the below mentioned outlets for the discharge of sewage/trade effluent. Any change in the outlets and the quantity has to be brought to the notice of the Board and fresh consent has to be obtained.

Outlet No.	Description of Outlet	Maximum daily discharge in KLD	Point of disposal
Effluent Type : Sewage			
1.	Treated Sewage I	70.0	Utilizing for Toilet flushing
2.	Treated Sewage II	20.0	On land for gardening
3.	Treated Sewage III	33.75	Cooling Tower make up
Effluent Type : Trade Effluent - NIL			

Special Additional Conditions:

The unit shall obtain No Objection Certificate (NOC) from the Tamil Nadu Bio Diversity Board /National Bio Diversity Authority if the unit is using any Biological resources or knowledge associated thereto as per the provisions of Biological Diversity Act 2002.

The industries shall take all efforts to use and popularize “Mission LiFE” logo and mascot which is available in TNPCB & MoEFCC website. They shall also request their employees to adopt “Mission LiFE” action points and document the same and furnish half yearly report to Board.

Additional Conditions:

1. The conditions stipulated in the Environmental Clearance issued vide SEIAA, TN Lr.No.SEIAA TN/F.No.10210/8(a)/EC.No.981/2023 dated:18/10/2023 shall be complied with. Half-yearly (six months) status report on compliance of EC conditions shall be furnished to SEIAA-TN & TNPCB regularly.
2. In accordance with Item No.11 of the EIA Notification, 2006, any new industry shall obtain NOC from MoEF/ SEIAA in the event of transfer of original EC in a different name.
3. The stability of the entire building/ STP does not falls under the purview of the TNPC Board.
4. Project proponent shall always possess valid permission from competent authority for supply of fresh water to the unit.
5. Sewage Treatment Plant (STP) capacity of 150 KLD shall be operated and maintained efficiently and continuously for the treatment of sewage generation so as to bring the quality of treated sewage to satisfy the discharge standards prescribed by the Board at all times.
6. EMFMs with automatic recorder and display arrangement at the inlet/outlet of STP with separate energy meter provided shall be maintained properly for ensuring continuous operation & monitoring of flow & records maintained in this regard shall be available for verification by inspection officers.
7. It shall be taken action to calibrate the Electromagnetic Flow meters provided in the STP periodically only through approved laboratories of Weights and Measures Department for display of correct readings at all time and furnish calibration certificate periodically to the Board.
8. Action shall be taken to install the Online Continuous Effluent Monitoring System (OCEMS) in the outlet of STP & make connectivity with WQW of TNPCB within 3 months as committed for continuous monitoring of treated waste water parameters such as pH, TSS, BOD, flow and ensure online connectivity with WQW of TNPCB for transmission of effluent data without any interruption and furnish action taken report in this regard to TNPC Board.
9. The treated sewage shall be utilized for green belt development and toilet flushing, Cooling tower make up as permitted after achieving the standards prescribed by the Board. Records shall be maintained for actual recycle of treated sewage for toilet flushing & Gardening & available for verification by inspection officer. It shall be ensured that treated sewage after disinfection is utilised for toilet flushing. There shall not be any discharge of untreated/treated sewage outside the premises directly/indirectly under any circumstances.
10. The Proponent shall provide UV Disinfection system at the STP immediately & the part of treated sewage may be utilized for toilet flushing after meeting the required standards.
11. Treated sewage samples shall be collected and analysed through TNPCB Laboratory regularly and furnish report of analysis (ROA) to TNPCB periodically.
12. Project proponent shall maintain the dual plumbing system for the utilisation of treated waste water for toilet flushing and for gardening/green belt development after satisfying the standards prescribed by the Board.
13. Project proponent shall ensure that the excess treated sewage shall not find access to any nearby water body at any point of time.
14. Project proponent shall maintain the log books for the continuous operation of the STP by entering the details like EMFM readings, chemical consumption, running hours and power consumption etc.,.
15. Project proponent shall provide and maintain the energy meters to record the daily energy consumption of the STP on daily basis.
16. Project Proponent shall have all essential spare parts for the important mechanical/electrical equipment at the site, in order to replace and rectify the repairs immediately in the event of any breakdown and to restart the operation without any time delay and ensure continuous operation of all the component of the Sewage Treatment Plant.
17. STP tanks shall not be cleaned manually and it should be carried out only by mechanical system with high level supervision.
18. Project proponent shall maintain solar panel for street lighting, common areas and for office building to the extent possible.
19. Project proponent shall maintain arrangements for storm water disposal and for rain water harvesting within the project site.
20. Project proponent shall maintain good housekeeping.
21. Project proponent shall adopt safe and environment friendly management practices within the premises.
22. The bio degradable solid waste, non-bio degradable solid waste, STP sludge, etc., generated from the activity shall be properly collected, segregated and disposed as per the provision of Solid waste Management Rules, 2016 without accumulation within the premises.
23. Food waste & other organic waste shall be collected separately and treated in Organic Waste Converter and the treated compost shall be used as manure for gardening.
24. It shall be ensured that Organic Waste Converter shall be operated and maintained properly to handle the Bio- degradable waste generated from the activity.
25. Plastic wastes shall be collected segregated and disposed for recycling as per the provisions of Plastic Waste (Management and Handling) Rules, 2016.
26. 'Single use and Throwaway plastic items' such as plastic sheets used for food wrapping, spreading

on dining table etc., plastic plates, plastic coated tea cups, plastic tumbler, water pouches and packets, plastic straw, plastic carry bag and plastic flags irrespective of thickness, shall not be used within the premises. Instead, it shall encourage use of eco-friendly alternative such as banana leaf, areca nut palm plate, stainless steel, glass, porcelain plates/cups, cloth bag, Jute bag etc.,

27. E-waste generation shall be managed as per the provisions of the E- waste Management Rules,2022 as amended.

28. Rain water harvesting system installed within the premises shall be maintained properly so as to recharge the ground water.

29. Project proponent shall spend amount toward CER as committed in EC and the same shall be carried out immediately.

30. In case of revision of consent fee by the Government, the unit shall remit the difference in amount within one month from the date of notification. Failing to remit the consent fee, this consent will be withdrawn without any notice and further action will be initiated against the unit as per law.

31. This consent order does not absolve from obtaining necessary permission / Clearance from other Authority or under other statutes as applicable.

To

The Proprietor,

M/s.CHINNASAMY SUKUMARAN,

S.F.No. 368/1B, Saravanampatti Village, Coimbatore North Taluk, Coimbatore District

Pin: 641035

Copy to:

1.The Commissioner, COIMBATORE-Corporation, Coimbatore north Taluk, Coimbatore District .

2. The District Environmental Engineer, Tamil Nadu Pollution Control Board, COIMBATORE NORTH.

3. The JCEE-Monitoring, Tamil Nadu Pollution Control Board, Coimbatore.

4. File

Signature Not Verified

Digitally Signed by :Indira Gandhi S
For Member Secretary
Tamil Nadu Pollution Control Board,
Chennai

Date: 2025.11.06 19:34:08 IST